

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3285	(713/201).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/28 10:06
S2	128	(713/163).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/28 10:06
S3	2773	(713/200).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/28 10:06
S4	5039	(709/203).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/28 10:06
S5	1671	(709/225).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/28 10:07
S6	198	(709/243).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/28 10:07
S7	540	(709/239).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/28 10:07
S8	5617	S1 S2 S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 10:07
S9	7182	S4 S5 S6 S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 10:07
S10	383	(713/150).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/28 10:13
S11	5863	S1 S2 S3 S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 10:13

S12	197	( "6160793" "5903559" "6130889" "6084892" "6097719" "6212184" "6212184" "4893307" "5021949" "5923659" "6115751" "6167445" "6181695" "6195425" "6286052" "6330250" "6385451" "6400712" "6434624" "6449256" "6463470" "6466984" "6584098" "6625170" "6650631" "5708654" "6115776" "6353891" "6675218" "6243382" "6115361" "6131117" "6167028" "6502135" "6834310" "5596574" "5805818" "6112247" "6138162" "6169739" "6208622" "6396829" "6445715" "6553028" "6618761" "6625124" "6631137" "6643269" "6751200" "6141686").pn. ( "6137792" "6148336" "6046979" "6151300" "5935245" "6262976" "6353614" "6356951" "6370144" "6381638" "6389031" "6389468" "6453360" "6650640" "5307413" "5818838" "6018530" "6081507" "6147993" "6219697" "6219697" "6240461" "6246684" "6247058" "6266335" "6269099" "6405247" "6449283" "6483805" "6487213" "6643287" "6643292" "6650621" "6667984" "6771673" "6822957" "6832184" "5444709" "5828846" "5841764" "5940598" "5940390" "6084879" "6091710" "5535199" "5699361" "5701316" "5757924" "5898713" "5956721").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 10:16
S13	531745	null fake false dummy artificatal empty invisible	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 10:15
S14	2232139	datagram packet dataframe frame message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 10:15
S16	13281	S13 near3 S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 10:16
S17	8657	S13 adj3 S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 10:16

S18	4180	S13 adj S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 11:12
S19	85	IP near (extentsion extend)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 12:28
S20	42803	S14 near type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 10:17
S21	5732061	minimum least min	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 13:06
S22	2960306	maximum most max	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 10:18
S23	167859	S13 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 10:22
S24	3	S12 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 10:23
S25	313	S11 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 10:23
S26	4	S12 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 10:23
S27	33	S23 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 11:04

S28	11621	(S13 and S14).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 11:04
S29	896	(S13 adj S14).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 11:20
S30	10	S17 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 11:18
S31	5	S29 and (S11 S9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 11:21
S32	361	S16 and (S11 S9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 11:22
S33	256	S17 and (S11 S9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 11:22
S34	313	S11 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 11:23
S35	21874279	@ad<"20020103" @rlad<"20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 11:23
S37	194	S35 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 11:23
S38	295	S35 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 12:23

S39	7	S19 and(S11 S9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 12:28
S40	5732061	minimum least min	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 13:06
S41	375	hop near S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 13:08
S42	2960306	maximum most max	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 13:07
S43	274	hop near S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 13:08
S44	272	S40 near (packet near size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 13:08
S45	981	S42 near (packet near size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 13:08
S46	1120	hop near4 S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:22
S47	935	hop near4 S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 13:08
S48	464	S40 near4 (packet near size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 13:08

S49	1361	S42 near4 (packet near size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:19
S50	2232139	datagram packet dataframe frame message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:12
S51	25281	S50 near (size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 13:09
S52	784	S40 near2 S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:20
S53	2075	S42 near2 S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:14
S54	169	S52 same S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:15
S55	2902	S50 near3 hop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 13:13
S56	3285	(713/201).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/28 13:13
S57	128	(713/163).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/28 13:13
S58	2773	(713/200).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/28 13:13
S59	383	(713/150).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/28 13:13

S60	5863	S56 S57 S58 S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 13:13
S61	1	S54 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 13:13
S62	5039	(709/203).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/28 13:13
S63	1671	(709/225).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/28 13:13
S64	198	(709/243).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/28 13:13
S65	540	(709/239).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/28 13:13
S66	7182	S62 S63 S64 S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 13:13
S67	1	S54 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 13:13
S68	42	honey adj (pot network lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:21
S69	2	((("5935245") or ("6594705")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/28 14:14
S70	1	("20030018912").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/28 14:14

S71	9	(US-20030191717-\$ or US-20040015718-\$ or US-20030018912-\$).did. or (US-6081507-\$ or US-6130889-\$ or US-6502135-\$ or US-6832184-\$ or US-6834310-\$).did. or (GB-2320159-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/01/28 14:23
S72	531745	null fake false dummy artificatal empty invisible	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:23
S73	13281	S72 near3 S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:23
S74	361	S73 and (S60 S66)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:23
S75	21874279	@ad<"20020103" @rlad<"20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:23
S76	275	S75 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 14:38
S77	1561	ip near field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:11
S78	9175	ip near (field data header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:12
S79	0	S78 with S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:12
S80	0	S78 with S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:12



S81	140	S50 with S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:12
S82	86	S50 with S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:12
S83	539	re near2 encryption	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:14
S84	0	(total counter number) near (re near encryption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:13
S85	6523	(decay) near (rate count)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:14
S86	71	S83 with S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:14
S87	70	S85 with S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:14
S88	2	S54 and (S66 S60)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:15
S89	169	S52 same S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:20
S90	5405913	header fields data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:20

S91	157240	S50 near S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:36
S92	123676	(S40 S42) near2 size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:36
S93	64	S46 same S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:25
S94	1445	S91 same S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:40
S95	35	S94 and (S60 S66) and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:51
S96	66	S91 near (source adj2 address) and (S60 S66) and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 16:11
S97	1	S91 near4 (re near encryption) and (S60 S66) and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:54
S98	150	S91 near4 (source adj2 address) and (S60 S66) and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:53
S99	227	S91 with (source adj2 address) and (S60 S66) and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:53
S10 0	1	S91 with (re near encryption) and (S60 S66) and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 16:11

S10 1	0	S91 with (decay near4 rate) and (S60 S66) and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 15:54
S10 2	10	S91 with (decryption near4 key) and (S60 S66) and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 16:07
S10 3	31	(US-20030191717-\$ or US-20040015718-\$ or US-20030018912-\$ or US-20020032774-\$ or US-20020078384-\$ or US-20020111997-\$ or US-20020161884-\$ or US-20020166063-\$ or US-20020174362-\$ or US-20020150099-\$ or US-20030112766-\$ or US-20030014623-\$ or US-20030110229-\$).did. or (US-6081507-\$ or US-6130889-\$ or US-6502135-\$ or US-6832184-\$ or US-6834310-\$ or US-5600803-\$ or US-5781733-\$ or US-6032194-\$ or US-6523072-\$ or US-6535491-\$ or US-6789119-\$ or US-6038219-\$ or US-5233604-\$ or US-5430729-\$ or US-6141705-\$ or US-6567914-\$ or US-5177788-\$).did. or (GB-2320159-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/01/28 16:48